

Range Cattle Research and Education Center

January 2018

Research Report RC-2018-1

CLIMATOLOGICAL REPORT 2017
Range Cattle Research and Education Center

Brent Sellers

Weather conditions strongly influence agricultural operations from planting through harvesting. Knowledge of annual rainfall and temperature cycles, along with their extremes, help producers determine optimum times to prepare and plant seedbeds, fertilize pastures, apply herbicides, control water, and supplement cattle on pasture or range. Weather conditions influence forage seed germination, growth and development, palatability, and nutritive value.

This research report presents a summary of weather conditions observed during 2017 at the Range Cattle Research and Education Center (RCREC), Ona, Florida. The center is located 81° 56.406' W and 27° 23.733' N in south central Florida approximately 45 miles (72 km) east of the Gulf of Mexico and 100 miles (160 km) west of the Atlantic Ocean. Weather observations were collected with a Weather Watch 2000 (Campbell Scientific, Inc.) from 1997 until 2005. Beginning in 2006, observations were collected using the Florida Automated Weather Network (FAWN). Measurements reported prior to 2006 were recorded at 0900 h; thus, data on a given day represented the previous 24-hour period. Beginning in 2006, measurements were recorded for an entire 24-h period beginning at midnight.

Daily observations of rainfall, temperature, and solar radiation are summarized in Table 1. These data are then compared to a 76-year summary of rainfall data and a 74-year summary of temperature data collected at this location. In addition, monthly evapotranspiration and freeze hazard information are reported.

Table 1. Daily maximum and minimum temperature, precipitation, and solar radiation for 2017, Range Cattle REC.

Day	January				February				March				April			
	Max °F	Min °F	Rain inch	S Rad MJ/m ²	Max °F	Min °F	Rain inch	S Rad MJ/m ²	Max °F	Min °F	Rain inch	S Rad MJ/m ²	Max °F	Min °F	Rain inch	S Rad MJ/m ²
1	84.49	51.60	0.00	15.14	79.59	39.18	0.00	19.93	87.66	59.65	0.00	20.84	86.49	57.87	0.00	18.73
2	86.22	59.54	0.00	12.70	81.12	46.78	0.00	18.67	86.23	63.63	0.02	22.22	92.88	59.22	0.00	21.96
3	85.24	63.61	0.00	12.76	81.34	50.13	0.00	16.14	78.39	59.22	0.00	23.02	92.41	62.94	0.00	25.00
4	78.94	53.10	0.09	12.66	77.63	50.65	0.00	18.10	77.67	49.23	0.00	24.14	89.38	65.10	0.00	23.26
5	77.88	50.65	0.00	14.34	79.72	53.62	0.00	15.81	76.21	54.55	0.00	18.94	92.34	63.34	0.00	26.28
6	80.19	53.11	0.02	12.97	81.95	54.09	0.00	18.09	76.21	53.69	0.00	17.07	81.97	49.78	0.00	22.35
7	72.64	42.21	0.38	03.28	84.58	56.61	0.00	16.54	78.08	51.21	0.00	15.79	74.57	47.75	0.00	29.50
8	56.95	33.78	0.00	18.10	83.41	60.08	0.16	18.26	81.52	52.00	0.00	15.31	78.21	38.24	0.00	30.18
9	68.63	39.63	0.00	17.29	81.93	56.12	0.00	15.64	85.01	53.83	0.00	18.68	84.02	46.45	0.00	28.18
10	70.81	45.81	0.00	11.77	75.42	45.10	0.00	21.60	83.77	52.97	0.00	24.17	83.75	48.34	0.00	22.69
11	77.72	47.14	0.00	15.35	82.90	43.32	0.00	21.35	86.07	53.67	0.00	25.91	87.04	51.85	0.00	24.47
12	80.78	49.01	0.00	17.47	82.44	46.22	0.00	21.14	81.05	61.09	0.35	12.05	83.41	54.54	0.00	20.48
13	78.12	57.96	0.00	11.12	82.51	53.64	0.00	15.57	76.77	59.54	0.97	09.03	85.87	59.61	0.02	23.51
14	80.15	62.65	0.00	13.02	82.02	55.90	0.00	19.05	69.37	59.77	0.01	23.46	86.38	51.51	0.00	24.55
15	80.35	56.62	0.00	12.90	81.39	63.41	0.00	15.54	63.84	46.06	0.00	26.14	87.57	55.42	0.00	23.51
16	78.12	54.91	0.00	08.97	71.71	57.60	0.00	20.73	67.57	33.55	0.00	27.45	87.51	56.30	0.00	25.02
17	82.51	56.62	0.00	15.24	79.23	34.92	0.00	22.30	74.44	38.00	0.00	25.44	87.24	56.41	0.00	21.69
18	81.79	51.39	0.00	14.75	80.62	46.80	0.55	12.64	79.45	42.09	0.00	26.50	85.24	64.78	0.00	15.57
19	82.38	50.85	0.00	16.90	83.25	59.72	0.01	15.44	79.12	46.40	0.00	25.48	87.17	60.73	0.00	24.03
20	83.28	51.03	0.00	16.38	84.00	50.81	0.03	21.52	78.42	39.60	0.00	27.10	88.56	60.84	0.00	23.11
21	82.53	58.55	0.00	17.22	79.54	59.68	0.00	12.98	83.32	45.27	0.00	26.72	88.11	55.83	0.00	29.31
22	82.06	64.99	0.31	08.14	72.54	63.88	0.93	06.23	83.35	50.31	0.00	25.51	83.34	54.90	0.00	12.00
23	72.70	58.44	0.05	13.67	78.06	55.45	0.01	11.76	84.34	60.87	0.00	22.28	86.16	66.87	0.00	16.28
24	75.00	49.69	0.00	18.28	83.39	61.84	0.00	17.58	81.68	57.97	0.00	22.94	81.10	62.69	0.02	20.66
25	78.28	44.73	0.00	16.98	81.37	58.73	0.00	17.66	84.85	54.12	0.00	21.61	00.00	51.55	0.00	03.63
26	81.12	58.12	0.00	11.97	80.91	56.43	0.00	23.81	84.74	54.72	0.00	19.73	-	-	-	-
27	70.45	61.16	0.00	14.47	87.46	55.26	0.00	19.28	84.38	53.73	0.00	24.17	95.27	65.12	0.02	25.96
28	62.91	41.67	0.00	11.67	86.88	61.66	0.00	17.36	87.64	52.59	0.00	26.52	96.55	63.93	0.00	24.48
29	61.81	45.95	0.25	05.99					89.46	55.17	0.00	20.12	93.33	68.56	0.00	24.95
30	65.19	44.82	0.00	19.99					88.21	55.00	0.00	24.68	93.00	68.40	0.00	22.57
31	74.16	33.93	0.00	20.02					82.74	60.46	0.03	15.17				
Avg	76.56	51.38	0.03	13.92	80.98	53.48	0.06	17.52	80.71	52.57	0.04	21.87	87.10	57.76	0.01	23.22
Max	86.22	64.99	0.38	20.02	87.46	63.88	0.93	23.80	89.46	63.63	0.97	27.45	96.55	68.56	0.02	30.18
Min	56.95	33.78	0.00	03.28	71.71	34.92	0.00	06.23	63.84	33.55	0.00	09.03	74.57	38.24	0.00	12.00
Total			1.10	431.54			1.69	490.73			1.38	678.19			0.06	653.88

Table 1. Continued.

Day	May				June				July				August			
	Max °F	Min °F	Rain inch	S Rad MJ/m ²	Max °F	Min °F	Rain inch	S Rad MJ/m ²	Max °F	Min °F	Rain inch	S Rad MJ/m ²	Max °F	Min °F	Rain inch	S Rad MJ/m ²
1	90.63	68.92	0.00	18.36	94.71	67.93	0.00	24.46	94.03	74.62	0.00	24.81	91.65	71.65	0.59	23.94
2	91.38	70.43	0.04	20.89	86.36	71.24	0.01	11.12	94.30	73.17	0.00	23.14	87.96	73.11	0.07	16.01
3	91.27	65.80	1.35	23.16	90.32	69.73	0.48	15.96	94.05	74.57	0.00	30.73	94.01	71.89	0.01	25.98
4	90.23	65.21	0.00	23.32	84.79	71.96	0.03	12.89	94.37	72.48	0.00	30.20	93.58	72.72	0.00	25.46
5	78.31	69.58	0.09	19.65	80.58	72.66	0.22	07.06	94.64	73.36	0.00	29.35	94.75	75.07	0.00	22.84
6	81.61	54.66	0.00	31.26	83.59	71.92	0.96	14.28	94.41	71.60	0.00	24.44	93.70	73.65	0.06	20.44
7	86.02	46.17	0.00	31.54	83.30	70.56	1.48	07.33	93.69	70.88	0.12	23.78	92.32	74.17	0.00	24.05
8	88.99	51.17	0.00	31.33	87.51	73.33	0.30	22.54	92.30	72.81	0.18	23.83	94.44	75.16	0.21	25.55
9	92.41	59.16	0.00	29.86	89.02	68.31	0.00	26.16	91.35	70.84	0.00	24.54	94.48	73.33	0.00	25.81
10	95.11	58.66	0.00	29.87	84.47	69.60	0.26	08.83	90.66	72.64	0.01	19.56	93.99	72.46	0.01	24.74
11	95.59	57.69	0.00	30.18	91.04	72.25	0.25	16.38	93.72	72.52	0.40	23.62	91.06	73.78	0.66	16.88
12	90.37	50.29	0.00	27.50	90.93	75.49	0.19	16.54	90.16	70.95	0.51	16.00	92.30	73.42	0.56	18.98
13	89.22	61.11	0.00	22.23	90.63	74.43	1.36	12.40	89.28	71.49	0.12	24.25	92.23	73.31	0.00	25.68
14	90.97	64.94	0.00	29.57	88.02	71.51	0.17	12.08	86.47	73.96	1.50	09.84	91.51	73.36	0.13	20.35
15	93.31	63.3	0.00	23.63	89.33	69.85	0.03	13.89	92.68	72.55	0.00	26.73	94.28	73.80	0.04	21.72
16	95.13	67.01	0.00	25.28	82.53	67.03	2.92	17.23	93.94	71.78	0.00	29.77	94.73	73.90	0.70	20.93
17	95.61	68.83	0.00	26.89	91.11	67.71	0.00	24.90	92.21	73.78	0.00	22.43	95.45	73.24	0.32	24.75
18	93.76	69.17	0.00	24.14	85.75	72.37	2.20	13.14	90.57	72.30	0.52	19.83	93.85	72.37	0.66	25.92
19	94.32	72.57	0.01	22.42	85.51	73.69	0.19	10.66	89.40	72.61	0.02	16.46	94.46	68.54	0.00	27.12
20	96.51	70.84	0.00	25.22	87.51	75.56	0.00	19.96	90.01	72.36	0.14	19.14	90.39	73.74	0.03	15.43
21	95.38	66.61	0.06	22.40	87.75	76.44	0.08	19.04	86.00	74.16	0.02	13.86	91.90	74.79	0.00	22.03
22	92.93	70.36	0.13	25.64	94.66	73.15	0.02	24.22	88.11	73.29	0.25	16.07	93.92	72.86	0.00	25.23
23	91.31	70.43	0.00	19.55	93.79	70.18	0.09	29.53	84.88	72.64	0.00	10.18	93.45	74.14	0.29	18.76
24	86.97	72.59	0.00	03.92	93.94	76.35	0.01	25.81	90.82	72.81	0.00	16.97	89.47	73.63	0.14	16.87
25	83.84	61.39	0.02	09.58	93.42	73.06	0.51	28.08	95.40	73.49	0.00	27.17	86.68	74.30	2.69	08.28
26	89.76	57.56	0.00	30.32	89.74	74.61	0.01	25.27	96.22	74.41	0.40	28.53	85.12	73.76	0.59	08.92
27	92.71	56.35	0.00	32.01	91.13	73.31	0.25	19.99	92.44	71.94	0.06	19.77	86.97	73.78	0.46	14.71
28	92.52	60.03	0.00	30.52	92.59	70.38	0.42	27.58	92.95	73.51	0.00	27.28	80.78	75.69	0.20	11.74
29	95.18	65.43	0.00	27.62	93.78	72.18	0.40	22.90	92.03	74.79	0.00	23.99	91.67	73.94	0.00	25.53
30	95.09	69.66	0.00	24.40	92.97	73.96	0.00	24.28	86.74	75.11	0.42	06.50	94.26	72.41	0.00	22.46
31	94.03	69.73	0.04	21.33					81.97	73.29	1.14	03.71	94.82	75.18	0.11	23.91
<u>Avg</u>	91.30	63.73	0.05	24.63	89.02	72.02	0.42	18.48	91.28	72.92	0.19	21.17	91.94	73.45	0.27	21.00
<u>Max</u>	96.51	72.59	1.35	32.01	94.71	76.44	2.92	29.53	96.22	75.11	1.50	30.73	95.45	75.69	2.69	27.12
<u>Min</u>	78.31	46.17	0.00	03.91	80.58	67.03	0.00	07.06	81.97	70.84	0.00	03.71	80.78	68.54	0.00	08.28
<u>Total</u>			1.74	763.57			12.84	554.50			5.81	656.47			8.53	651.02

Table 1. Continued.

Day	September				October				November				December			
	Max °F	Min °F	Rain inch	S Rad MJ/m ²	Max °F	Min °F	Rain inch	S Rad MJ/m ²	Max °F	Min °F	Rain inch	S Rad MJ/m ²	Max °F	Min °F	Rain inch	S Rad MJ/m ²
1	94.17	75.22	2.17	25.12	92.23	72.23	0.00	19.88	80.83	53.80	0.00	19.52	67.86	42.81	0.02	03.49
2	89.47	72.95	0.01	16.63	83.12	74.41	0.14	08.99	83.55	52.70	0.00	18.19	82.36	57.43	0.00	16.63
3	89.53	73.18	0.07	15.41	81.48	69.37	0.12	10.41	83.86	58.73	0.00	16.75	82.87	55.78	0.00	15.73
4	91.44	72.52	0.04	21.19	85.86	73.20	0.13	18.70	84.34	59.00	0.00	18.22	81.34	60.48	0.00	13.40
5	93.90	73.27	0.01	22.72	80.89	72.10	0.09	08.91	84.49	59.85	0.09	18.55	83.25	60.15	0.00	12.24
6	89.13	73.89	0.00	16.29	92.39	74.39	0.00	16.35	84.65	66.56	0.00	13.43	83.1	57.94	0.00	13.64
7	93.07	72.95	0.00	22.03	92.12	77.99	0.00	19.34	85.71	64.33	0.00	19.07	83.73	61.48	0.00	11.64
8	90.66	76.53	0.31	16.27	92.77	76.60	0.00	17.96	86.47	59.61	0.00	18.27	83.84	67.93	0.00	11.47
9	86.09	76.32	0.00	11.99	91.92	74.68	0.00	21.26	86.85	61.38	0.00	15.95	71.83	42.81	0.63	03.96
10	76.84	74.19	9.10	02.56	92.07	73.17	0.00	20.03	77.54	62.44	0.00	09.27	59.85	38.36	0.00	17.87
11	82.81	74.30	0.07	17.85	90.48	70.12	0.00	19.86	84.49	60.93	0.00	18.14	65.48	33.45	0.00	17.66
12	87.94	71.83	0.00	25.07	86.31	67.77	0.05	16.50	77.72	67.80	0.10	06.68	75.06	37.62	0.00	14.91
13	90.14	69.46	0.00	21.27	86.86	73.38	0.11	13.67	81.73	67.12	0.00	10.68	65.59	38.42	0.00	17.47
14	92.89	73.26	0.00	13.88	88.02	73.31	0.02	16.36	82.13	64.98	0.00	17.01	74.21	36.78	0.00	14.70
15	91.92	73.36	0.00	16.02	90.72	69.33	0.35	16.95	80.38	59.31	0.00	18.17	77.77	52.84	0.00	15.09
16	92.71	72.70	0.00	18.42	91.00	70.68	0.01	20.54	79.36	60.78	0.04	16.22	78.19	50.32	0.00	15.55
17	90.73	73.13	0.00	22.08	84.07	71.56	0.00	11.42	81.25	56.43	0.01	17.93	80.08	53.71	0.00	13.90
18	90.27	70.25	0.00	20.80	85.03	69.87	0.00	18.92	82.40	51.40	0.00	18.39	85.08	57.97	0.00	15.29
19	89.31	72.36	0.00	15.03	87.94	68.86	0.00	17.98	82.24	52.45	0.01	16.05	84.54	57.83	0.01	13.56
20	91.87	70.65	0.00	18.39	86.56	70.34	0.02	19.10	80.02	45.81	0.00	18.37	80.22	56.52	0.00	13.66
21	91.47	70.83	0.00	22.55	85.50	69.21	0.00	14.55	73.36	59.11	0.25	04.46	84.16	60.08	0.00	10.11
22	92.98	70.83	0.00	19.12	88.90	71.85	0.00	14.46	81.79	57.43	0.15	15.37	82.87	60.82	0.00	12.66
23	90.46	72.77	0.63	17.95	87.67	72.27	0.05	12.20	72.55	65.34	0.18	02.30	82.45	60.22	0.01	12.66
24	89.55	72.79	0.00	14.54	81.61	68.77	0.01	09.45	69.10	64.53	0.01	05.15	81.86	56.35	0.00	14.06
25	92.43	75.31	0.00	20.58	72.34	57.24	0.00	20.04	76.41	53.17	0.01	16.09	78.13	57.25	0.00	14.94
26	93.90	73.72	0.00	21.17	73.47	48.88	0.00	21.96	75.99	55.49	0.00	13.32	78.78	51.06	0.00	11.74
27	94.39	73.00	0.00	19.19	80.53	52.16	0.00	20.17	77.29	51.24	0.00	14.26	83.12	56.48	0.00	15.80
28	93.45	69.98	0.00	20.56	75.99	57.97	0.36	03.39	83.66	58.98	0.00	13.52	79.95	56.59	0.00	14.98
29	86.63	72.25	0.16	11.05	67.32	46.58	0.01	18.04	82.71	65.64	0.00	14.89	70.66	56.62	0.00	12.08
30	90.16	73.06	0.23	16.43	69.08	42.25	0.00	21.48	82.42	62.42	0.00	15.56	68.9	50.45	0.00	15.16
31					77.85	44.38	0.00	21.18					73.47	39.51	0.00	16.75
<u>Avg</u>	90.34	72.89	0.42	18.07	84.58	66.93	0.04	16.45	80.84	59.29	0.03	14.65	77.76	52.45	0.02	13.63
<u>Max</u>	94.39	76.53	9.10	25.12	92.77	77.99	0.36	21.96	86.85	67.80	0.25	19.52	85.08	67.93	0.63	17.87
<u>Min</u>	76.84	69.46	0.00	02.56	67.32	42.25	0.00	03.39	69.10	45.81	0.00	02.30	59.85	33.45	0.00	03.49
<u>Total</u>			12.80	542.16			1.47	510.07			0.85	439.77			0.67	422.79

Rainfall

Daily rainfall equaled or exceeded 1 inch on ten separate occasions, with a daily total rainfall maximum of 9.10 inches on September 10 during Hurricane Irma (Table 1). Annual rainfall for 2017 totaled 48.94 inches, which was 4.24 inches lower than the 76-year average of 53.18 inches (Table 2). The lowest annual total on record was observed in 2000 when 32.02 inches were measured, and the greatest annual rainfall total observed was in 1959 when 78.82 inches were recorded. Nine months of 2017 saw rainfall that fell below the 76-year average. Rainfall was 4.17 inches above the 76-year average in June, and 5.43 inches greater in September. However, rainfall was near or below normal in all other months, with a 2.46 inch deficit in July. Monthly rainfall during 2017 is graphically compared to historical mean, median, maximum, and minimum rainfall in Figure 1.

Table 2. Summary of rainfall by months. Range Cattle REC, 2017.

Month	1942 to 2017		76-year average†	2017	Difference from 76-year average
	Maximum / month	Minimum / month		Total	
	-----inches*-----				
January	8.45	0.03	2.14	1.10	- 1.04
February	9.59	0.02	2.47	1.69	- 0.78
March	12.34	0.13	3.01	1.38	- 1.63
April	11.91	0.00	2.42	0.06	- 2.36
May	10.58	0.00	3.67	1.74	- 1.93
June	18.99	2.79	8.67	12.84	4.17
July	19.74	1.87	8.27	5.81	- 2.46
August	16.10	3.13	8.39	8.53	0.14
September	20.11	1.14	7.37	12.80	5.43
October	11.23	0.00	2.90	1.47	- 1.43
November	11.22	0.07	1.84	0.85	- 0.99
December	8.61	0.07	1.90	0.67	- 1.23
<i>Year total</i>			<i>53.18</i>	<i>48.94</i>	<i>- 4.24</i>

*Inches x 2.54 = cm.

† Since rainfall records began in July 1942, means for January to June are 75-year means.




Figure 1. Monthly rainfall at the Range Cattle REC during 2017 relative to historical average, median, minimum, and maximum monthly rainfall. Current rainfall is indicated by the gray bars, historical average and median rainfall are indicated by squares (■) and “X’s” (x), respectively. Historical high and low rainfall are indicated by diamonds (◆).

Evapotranspiration

Evapotranspiration is the total amount of water transferred from the earth to the atmosphere. Monthly evaporation in 2017 did not differ more than 0.58 inches compared to the 12-year average (Table 3). Evapotranspiration exceeded rainfall in January through May and October through December in 2017 (Figure 2), which follows the general trend observed over the years. Rainfall exceeded evapotranspiration by 5.88 inches for the entire year.




Figure 2. Comparison of monthly evapotranspiration and rainfall at the Range Cattle REC during 2017.

Solar Radiation. Total solar radiation for 2017 was 6791.08 MJ. Daily solar radiation is shown in Table 1, and 2017 total monthly solar radiation can be seen in Table 3. If soil water, temperature, and fertility are not limiting and vegetative cover is complete, 1 MJ results in about 14.3 lb/A of plant dry matter. Theoretically, enough solar radiation was received in April 2017 (715.52 MJ) to produce approximately 10,113 lb/A of plant dry matter.

Table 3. Monthly solar radiation and evapotranspiration at the Range Cattle REC in 2017.

Month	2006-2017	2017	2006-2017	2017
	Evapotranspiration		Solar radiation	
	-----inches-----		-----MJ/m ² -----	
January	1.90	1.91	412.50	431.54
February	2.41	2.73	456.74	490.73
March	3.37	3.67	643.01	678.19
April	4.36	4.23	707.17	650.26
May	5.28	4.70	784.59	763.57
June	4.88	4.50	662.18	554.50
July	4.88	5.04	645.95	656.47
August	4.53	5.08	582.30	651.02
September	3.86	3.93	516.32	542.16
October	3.12	3.29	494.89	510.07
November	1.97	2.23	395.13	439.78
December	1.53	1.75	372.90	422.79
<i>Year total</i>	<i>42.09</i>	<i>43.06</i>	<i>6673.68</i>	<i>6791.08</i>

Temperature

The highest temperature observed during 2017 was 96.2 °F on 26 July (Table 1). Monthly average-high temperatures exceeded the 74-year average in all months except June and October (Table 4). Monthly average low temperatures were above the 74-year average in all months except March and April (Table 5). Daily average low temperatures at or below 32 °F were not recorded in 2017 (Table 1). The extreme low temperature for 2017 occurred on 11 December when the temperature fell to 33.45 °F. Scattered frost begins when air temperature drops to 35 °F. Air temperatures at or below 35°F were 8 January, 17 February, 16 March, and 11 December, resulting in widespread or scattered frost across the landscape (data not shown). Overall, mean low temperature for 2017 was equal to the 74-year mean.

Table 4. Summary of maximum temperature* during 2017 by month, Range Cattle REC.

Month	Shelter†					Ground level‡	
	1944-2017	2017	1944-2017	2017	2017		
	Avg. high	Avg. high	Extreme high	Year	Extreme high	Avg. high	Extreme high
	-----°F-----					-----°F-----	
January	73.2	76.6	90.0	1982	86.2	69.3	74.8
February	75.1	81.0	91.0	1962	87.5	72.3	75.3
March	79.1	80.7	94.0	1946	89.5	74.0	78.9
April	83.5	87.1	97.0	1945	96.6	81.7	87.5
May	88.1	91.3	103.0	1945	96.5	86.6	89.9
June	90.1	89.0	103.0	1945	94.7	84.2	89.0
July	90.9	91.3	101.0	1972	96.2	86.0	89.2
August	91.1	91.9	98.0	several	95.5	85.1	87.7
September	89.5	90.3	96.2	several	94.4	81.9	85.3
October	85.0	84.6	96.5	2015	92.8	77.8	82.0
November	79.2	80.8	94.0	1990	86.9	72.5	75.5
December	74.6	77.8	89.0	1945	85.1	68.9	74.1
<i>Average</i>	83.3	85.2				78.4	

*°C = (°F – 32) x 0.555

† Air temperature is measured using a thermometer in an instrument shelter designed to protect meteorological equipment from exposure to direct sunlight, precipitation, and condensations, while allowing for adequate ventilation so that the instruments measure environmental parameters accurately.

‡ Ground level temperature is measured with a soil probe, which measures the temperature 4 inches below the soil surface.

Table 5. Summary of minimum temperature* for 2017 by month, Range Cattle REC.

Month	Shelter†					Ground level‡	
	1944-2017	2017	1944-2017	2017	2017		
	Avg. low	Avg. low	Extreme low	Year	Extreme low	Avg. low	Extreme low
	-----°F-----					-----°F-----	
January	49.1	51.4	18.0	1981	33.8	61.9	52.9
February	50.6	53.5	23.8	2009	34.9	63.7	54.8
March	54.3	52.6	26.0	1980	33.6	65.4	56.7
April	58.1	57.8	34.0	1971	38.2	71.6	66.4
May	63.3	63.7	43.0	1945	46.2	76.4	67.9
June	69.1	72.0	52.0	1984	67.0	77.8	73.8
July	71.3	72.9	62.0	several	70.8	80.3	74.3
August	72.0	73.5	61.0	1977	68.5	80.5	77.5
September	71.2	72.9	51.0	1962	69.5	78.9	76.0
October	64.8	66.9	37.5	2008	42.3	74.7	62.5
November	56.9	59.3	25.0	1970	45.8	68.2	63.7
December	51.6	52.5	20.0	1962	33.5	63.7	55.1
<i>Average</i>	<i>61.0</i>	<i>61.0</i>				<i>71.9</i>	

*°C = (°F – 32) x 0.555

† Air temperature is measured using a thermometer in an instrument shelter designed to protect meteorological equipment from exposure to direct sunlight, precipitation, and condensations, while allowing for adequate ventilation so that the instruments measure environmental parameters accurately.

‡ Ground level temperature is measured with a soil probe, which measures the temperature 4 inches below the soil surface.

Freeze hazard

The fall and spring freeze hazards for the Range Cattle REC are shown in Figure 3. The spring freeze hazard estimates the likelihood of temperatures reaching below the critical temperature after a selected date, while the fall freeze hazard estimates the likelihood of experiencing the first attainment of a critical temperature before a selected date. Based on records from 1964 to 2017, these data will not predict what will occur in a given year, but what can be expected over a period of years. In an example using the spring freeze hazard, one should expect approximately a 30% chance of a frost (assuming 35 °F) occurring before the 1st of March (Figure 4C). A grower has a significant likelihood of experiencing three frosts over ten years after the 1st of March; however, the likelihood drops to approximately 10% by March 20th.




Figure 3. Spring and fall freeze hazard showing temperature probabilities after a given spring date and before a given fall date. Trend lines for temperature probabilities <28 °F (A), <32 °F (B), <35 °F (C), and <45 °F (D). Graphs were constructed using minimum temperature data from 1960 – 2010 using FRISKNH as developed by R. Snyder and J. Paulo de Melo-Abreu.