Range Cattle Research and Education Center

March 2023

Research Report RC-2023-1

CLIMATOLOGICAL REPORT 2022 Range Cattle Research and Education Center

Brent Sellers

Weather conditions strongly influence agricultural operations from planting through harvesting. Knowledge of annual rainfall and temperature cycles, along with their extremes, help producers determine optimum times to prepare and plant seedbeds, fertilize pastures, apply herbicides, control water, and supplement cattle on pasture or range. Weather conditions influence forage seed germination, growth and development, palatability, and nutritive value.

This research report presents a summary of weather conditions observed during 2022 at the Range Cattle Research and Education Center (RCREC), Ona, Florida. The center is located 81° 56.406' W and 27° 23.733' N in south central Florida approximately 45 miles (72 km) east of the Gulf of Mexico and 100 miles (160 km) west of the Atlantic Ocean. Weather observations were collected with a Weather Watch 2000 (Campbell Scientific, Inc.) from 1997 until 2005. Beginning in 2006, observations were collected using the Florida Automated Weather Network (FAWN). Measurements reported prior to 2006 were recorded at 0900 h; thus, data on a given day represented the previous 24-hour period. Beginning in 2006, measurements were recorded for an entire 24-h period beginning at midnight.

Daily observations of rainfall, temperature, and solar radiation are summarized in Table 1. These data are then compared to an 81-year summary of rainfall data and a 79-year summary of temperature data collected at this location. In addition, monthly evapotranspiration and freeze hazard information are reported.

Table 1. Daily maximum and minimum temperature, precipitation, and solar radiation for 2022, Range Cattle REC.

		Janu	ıary			Febr	uary '	•	,	Mar	ch		,	Ap	ril	
	Max	Min	Rain	S Rad	Max	Min	Rain	S Rad	Max	Min	Rain	S Rad	Max	Min	Rain	S Rad
Day	٥F	٥F	inch	MJ/m^2	٥F	٥F	inch	MJ/m^2	۰F	٥F	inch	MJ/m^2	٥F	٥F	inch	MJ/m ²
1	83.61	58.14	0.00	13.09	75.58	35.68	0.03	16.89	77.36	55.51	0.00	8.77	85.96	71.22	0.45	14.58
2	84.06	63.14	0.00	10.21	82.31	46.71	0.00	14.08	81.97	46.69	0.00	20.69	88.14	65.26	0.14	12.12
3	71.26	48.78	0.10	14.07	85.55	56.71	0.00	16.03	84.87	55.29	0.00	16.71	78.08	59.41	0.00	8.96
4	77.20	46.92	0.00	13.22	85.91	61.18	0.00	14.74	85.75	56.10	0.00	19.56	87.78	60.49	0.54	14.72
5	77.31	55.09	0.00	9.31	66.31	57.04	0.00	3.17	85.86	56.48	0.00	19.06	90.05	64.02	0.00	17.65
6	78.19	48.78	0.00	13.18	75.85	54.14	0.00	10.29	86.32	58.71	0.00	20.29	89.35	69.69	0.00	19.31
7	81.55	58.03	0.00	13.83	74.73	55.45	0.00	9.24	88.11	62.28	0.25	15.47	85.19	66.96	0.52	9.30
8	80.49	54.64	0.00	12.74	59.05	53.76	0.41	1.88	88.68	64.38	0.00	15.13	74.25	55.29	0.00	23.89
9	80.83	57.88	0.00	9.73	71.58	45.32	0.07	17.14	87.96	65.97	0.00	17.11	73.74	47.19	0.00	22.79
10	83.61	58.73	0.00	10.19	74.07	37.49	0.00	18.50	85.32	68.16	0.00	9.56	77.20	39.12	0.00	25.92
11	73.40	53.51	0.00	13.38	81.59	47.52	0.00	15.33	88.72	68.04	0.00	18.01	83.23	47.16	0.00	25.10
12	77.11	52.39	0.00	11.21	85.75	45.84	0.00	16.95	78.31	46.38	0.45	7.08	85.60	53.49	0.00	24.25
13	73.36	47.82	0.00	13.28	73.85	54.14	0.13	8.49	71.76	37.36	0.00	22.91	86.86	57.60	0.00	19.39
14	71.51	43.71	0.00	15.08	67.12	38.58	0.00	19.10	80.35	50.16	0.00	19.95	89.87	63.00	0.00	19.67
15	75.43	40.97	0.00	14.68	75.65	40.32	0.00	12.80	84.06	58.77	0.00	13.70	91.04	65.80	0.00	19.71
16	67.89	57.15	0.65	4.50	83.52	54.97	0.00	17.59	85.59	61.29	0.30	13.12	92.28	60.55	0.00	20.76
17	65.95	45.23	0.00	11.82	87.73	64.09	0.00	14.71	84.85	61.57	0.00	21.10	91.85	64.31	0.00	21.73
18	66.04	38.83	0.00	15.97	84.96	62.73	0.00	13.20	90.93	56.19	0.00	21.25	87.64	62.28	0.00	18.51
19	74.71	39.93	0.00	14.35	80.20	55.78	0.00	9.34	89.01	65.71	0.00	19.69	86.50	60.39	0.06	24.99
20	78.98	45.77	0.00	11.16	81.82	48.40	0.00	18.76	82.89	59.43	0.00	16.90	84.88	51.78	0.00	23.08
21	81.48	52.20	0.00	12.28	83.62	54.34	0.00	18.19	84.13	47.59	0.00	23.27	84.54	56.70	0.00	20.53
22	65.30	50.76	0.00	2.59	84.81	57.42	0.00	14.08	87.46	53.56	0.00	20.72	85.48	56.75	0.00	22.74
23	51.10	34.53	0.00	3.55	86.36	60.08	0.00	13.36	89.20	64.27	0.00	18.39	86.23	58.41	0.00	19.69
24	66.29	28.69	0.00	15.92	87.13	58.01	0.00	18.27	84.63	63.59	0.08	11.21	88.83	57.69	0.00	21.57
25	61.29	45.09	0.10	3.85	88.72	59.32	0.00	16.55	77.70	54.21	0.00	23.01	89.85	61.72	0.00	20.27
26	63.00	56.32	0.01	2.78	86.85	57.02	0.00	17.11	79.41	47.41	0.00	23.64	91.36	57.74	0.00	22.68
27	76.26	58.44	0.00	10.03	85.53	54.54	0.00	17.94	81.63	46.89	0.00	23.51	91.85	60.46	0.00	21.03
28	72.91	55.92	0.00	11.69	79.81	60.17	0.00	13.22	85.50	46.87	0.00	23.41	88.50	59.22	0.00	16.86
29	58.33	32.59	0.00	16.76					89.53	53.62	0.00	23.93	88.77	65.05	0.00	17.35
30	60.85	25.09	0.00	17.27					88.66	51.78	0.00	22.18	86.81	65.53	0.03	13.53
31	71.40	28.21	0.00	17.22					88.81	64.35	0.00	15.47				
<u>Avg</u>	72.60	47.85	0.03	11.58	79.86	52.74	0.02	14.18	84.69	56.41	0.03	18.22	86.39	59.48	0.06	19.42
<u>Max</u>	84.06	63.14	0.65	17.274	88.72	64.09	0.41	19.10	90.93	68.16	0.45	23.93	92.28	71.22	0.54	25.92
<u>Min</u>	51.10	25.09	0.00	2.59	59.05	35.68	0.00	1.88	71.76	37.36	0.00	7.08	73.74	39.12	0.00	8.96
<u>Total</u>			0.86	358.95			0.64	396.94			1.08	564.77			1.74	582.69

Table 1. Continued.

	May			June				July				August				
	Max	Min	Rain	S Rad	Max	Min	Rain	S Rad	Max	Min	Rain	S Rad	Max	Min	Rain	S Rad
Day	۰F	٥F	inch	MJ/m ²	٥F	٥F	inch	MJ/m ²	٥F	٥F	inch	MJ/m ²	۰F	٥F	inch	MJ/m ²
1	90.00	61.14	0.00	22.08	86.41	66.16	0.00	23.02	93.18	71.58	0.00	17.89	96.64	72.05	1.02	22.80
2	91.35	59.90	0.00	24.09	91.51	68.05	0.58	17.30	93.40	72.57	0.00	22.43	95.58	72.07	0.07	18.99
3	89.04	65.46	2.25	14.23	75.69	69.28	0.45	4.42	94.64	73.09	0.00	19.60	93.85	70.97	0.11	23.89
4	91.44	63.97	0.14	21.38	84.83	71.44	0.26	14.66	93.02	71.04	0.00	21.17	93.87	71.15	0.01	22.87
5	93.90	65.80	0.00	24.28	92.77	67.03	0.00	23.04	95.38	71.62	0.00	21.30	93.60	73.29	0.01	18.71
6	90.37	65.52	0.00	23.45	92.46	68.45	0.00	23.29	96.10	73.40	0.84	21.33	92.39	72.90	0.00	22.04
7	83.62	68.20	0.59	11.66	94.05	67.91	0.17	22.33	95.05	71.49	2.34	22.53	93.27	72.86	0.00	22.44
8	90.43	68.11	0.00	25.37	91.35	70.50	0.75	16.98	94.98	71.10	0.01	24.91	92.66	72.25	0.08	17.44
9	88.70	63.93	0.00	22.78	89.44	71.35	0.01	11.43	94.17	73.00	0.00	21.07	89.73	71.67	0.11	10.42
10	86.00	57.74	0.00	26.51	88.43	72.07	0.05	13.57	92.07	74.44	0.75	18.25	93.61	72.66	0.00	21.59
11	85.23	56.17	0.00	23.85	86.56	71.67	0.10	9.39	91.45	74.77	0.02	19.21	90.57	70.99	0.00	11.88
12	85.75	59.65	0.00	22.42	88.21	70.18	0.04	18.00	93.61	72.10	0.00	25.47	93.29	70.18	0.00	19.16
13	88.48	61.29	0.00	21.30	94.95	70.32	0.04	23.79	96.55	71.98	0.10	21.70	92.17	71.26	0.32	17.21
14	90.95	60.82	0.00	25.90	97.07	71.83	1.49	20.99	94.77	71.91	0.25	20.73	90.48	68.88	0.00	17.58
15	91.69	63.07	0.00	25.48	95.22	69.55	0.04	20.29	92.07	69.12	0.53	22.01	89.74	70.88	0.00	17.27
16	89.58	60.30	0.00	25.88	94.95	73.45	0.00	23.97	91.78	71.10	0.04	16.39	93.13	70.75	0.00	20.73
17	90.72	60.51	0.00	20.86	95.31	72.63	0.00	25.10	89.11	71.20	0.00	16.54	91.98	70.86	1.54	14.82
18	94.86	63.55	0.00	22.43	97.63	69.21	0.04	19.88	93.38	72.27	0.00	20.52	92.68	72.27	2.36	17.88
19	93.97	65.41	0.00	22.25	95.77	69.37	0.45	18.97	92.59	73.71	0.21	14.84	92.59	70.95	0.00	20.85
20	87.22	67.17	0.33	11.39	92.25	70.07	0.04	17.86	96.58	72.50	0.01	15.64	95.31	72.32	0.00	23.05
21	92.55	69.15	0.52	13.71	88.36	70.84	0.00	23.18	95.29	71.73	0.90	23.28	94.44	75.02	0.00	19.51
22	92.84	70.38	0.00	20.17	91.17	64.51	0.00	21.08	94.57	71.15	0.00	22.02	95.52	72.55	1.64	19.54
23	92.98	70.41	0.00	22.57	95.14	64.98	0.00	25.36	92.50	71.28	0.40	16.99	95.41	72.54	0.17	22.10
24	91.80	70.93	0.00	22.12	95.34	72.90	0.87	18.31	93.97	72.61	0.00	22.41	94.95	73.74	0.08	20.65
25	90.36	67.17	0.00	19.93	91.53	71.78	1.08	19.02	92.64	72.66	0.46	22.56	95.23	74.01	1.47	17.40
26	92.05	69.96	0.00	20.28	90.70	70.83	1.51	17.41	91.44	72.97	0.00	16.61	90.73	72.45	1.29	9.12
27	91.72	71.60	0.00	19.64	97.59	70.68	0.20	11.96	92.48	72.68	0.03	19.07	93.72	72.88	0.67	19.83
28	90.95	68.70	0.13	20.56	96.31	71.31	0.01	8.00	94.15	71.71	0.00	24.47	93.09	73.72	1.09	14.85
29	95.02	60.58	0.00	24.76	91.69	71.10	0.02	7.62	94.59	69.53	0.00	24.17	92.34	72.48	0.80	16.04
30	93.18	62.82	0.38	20.41	95.20	72.03	0.41	22.49	93.81	72.10	0.00	22.14	92.66	75.13	0.01	21.24
31	90.50	66.25	0.00	20.91					94.60	69.96	0.00	23.81	93.70	74.17	0.00	17.38
Avg	90.56	64.70	0.14	21.38	91.93	70.05	0.28	21.38	93.67	72.01	0.22	20.68	93.19	72.25	0.41	18.69
Max	95.02	71.60	2.25	26.51	97.63	73.45	1.51	26.51	96.58	74.77	2.34	25.47	96.64	75.13	2.36	23.89
Min	83.62	56.17	0.00	11.39	75.69	64.51	0.00	11.39	89.11	69.12	0.00	14.84	89.73	68.88	0.00	9.12
Total			4.34	662.67			8.61	542.71			6.89	641.04			12.85	579.28

Table 1. Continued.

		Sept	ember			Octo	ber			Noven	nber			Decer	nber	
	Max	Min	Rain	S Rad	Max	Min	Rain	S Rad	Max	Min	Rain	S Rad	Max	Min	Rain	S Rad
Day	۰F	٥F	inch	MJ/m ²	٥F	٥F	inch	MJ/m ²	۰F	٥F	inch	MJ/m ²	٥F	٥F	inch	MJ/m ²
1	94.33	72.59	0.16	18.41	85.89	63.21	0.00	18.54	91.44	69.22	0.00	14.13	78.85	60.66	0.00	13.05
2	91.63	72.50	0.28	14.72	86.09	64.29	0.00	20.95	91.00	72.00	0.04	12.34	82.49	60.08	0.00	13.77
3	93.72	73.26	0.01	19.46	84.97	61.93	0.00	18.38	89.10	68.74	0.00	12.70	82.31	58.26	0.00	13.23
4	95.04	72.82	0.00	22.53	83.75	63.03	0.00	16.89	85.57	64.47	0.00	15.32	81.23	55.90	0.00	12.09
5	95.54	71.91	1.03	21.16	85.46	62.33	0.00	18.14	87.66	64.54	0.00	13.65	81.52	55.76	0.00	11.70
6	95.61	75.29	0.00	18.71	86.16	64.06	0.00	16.68	89.13	68.97	0.00	14.57	83.52	58.23	0.00	12.51
7	94.35	73.22	0.26	15.67	85.23	61.30	0.00	20.00	85.93	66.18	0.00	14.28	83.23	59.47	0.00	11.78
8	88.30	71.20	0.94	10.34	86.07	62.62	0.00	17.16	85.84	66.34	0.00	14.19	83.28	59.65	0.00	12.12
9	90.86	70.70	0.94	13.31	87.48	66.49	0.00	12.60	76.86	66.97	0.08	5.95	82.71	58.03	0.00	12.68
10	87.67	73.62	0.20	10.38	90.01	70.65	0.00	11.03	71.40	67.23	2.07	3.56	76.86	57.85	0.00	8.08
11	92.37	73.26	0.00	16.98	89.71	70.77	0.00	14.81	81.52	67.86	0.13	11.18	76.84	57.67	0.00	7.20
12	91.17	72.32	0.21	14.87	88.45	71.58	0.19	8.86	83.82	64.56	0.00	13.44	76.01	55.08	0.00	9.29
13	90.27	71.38	0.00	14.28	82.71	70.86	0.54	5.29	83.62	62.89	0.00	12.89	81.27	55.81	0.00	13.82
14	89.71	72.46	0.76	13.91	89.17	69.37	1.32	15.27	84.25	62.24	0.00	11.19	82.22	61.50	0.00	12.71
15	90.77	71.85	1.93	15.17	87.84	69.94	0.00	14.87	84.99	64.81	0.00	9.05	79.45	63.01	1.23	3.80
16	87.44	70.47	2.96	13.76	88.88	68.22	0.00	17.71	78.21	61.59	0.00	4.94	68.31	57.69	0.01	7.76
17	88.70	72.09	0.85	14.61	88.52	68.65	0.02	15.86	71.60	51.04	0.00	14.51	75.52	52.32	0.00	9.56
18	89.20	71.56	0.01	16.76	82.87	67.21	0.00	7.96	70.99	50.79	0.00	11.53	73.42	50.77	0.00	11.45
19	92.35	71.60	0.00	19.64	66.40	53.29	0.00	7.40	74.34	53.87	0.00	9.90	74.77	42.31	0.00	13.66
20	91.29	71.82	0.00	15.33	73.31	51.84	0.00	10.50	64.60	54.14	1.26	2.63	66.06	54.86	0.34	2.53
21	92.26	73.13	0.16	19.15	77.85	54.18	0.00	18.28	76.26	58.93	0.00	7.17	70.66	57.72	0.14	5.75
22	92.39	73.56	0.00	21.07	82.78	55.38	0.00	18.28	75.04	66.29	0.00	3.89	73.29	60.03	0.67	5.56
23	95.22	69.55	0.14	17.90	85.06	59.85	0.00	16.33	78.33	67.21	0.00	7.33	75.60	43.76	0.12	8.01
24	91.02	73.17	0.00	18.58	86.50	61.79	0.00	16.04	84.02	68.38	0.00	7.81	48.42	31.90	0.00	8.79
25	90.23	72.70	0.04	14.63	87.57	61.77	0.00	16.93	86.31	66.90	0.00	10.54	47.17	33.33	0.00	5.66
26	91.63	71.64	0.15	15.10	86.56	61.36	0.00	15.97	85.14	66.79	0.00	8.54	54.28	36.55	0.00	5.08
27	77.56	72.41	0.44	2.49	88.77	64.20	0.00	15.60	84.72	67.35	0.00	9.51	69.40	41.13	0.00	13.89
28	76.24	69.96	17.18	0.39	88.36	65.03	0.00	16.33	78.64	59.63	0.00	7.25	75.47	43.87	0.00	13.81
29	75.63	66.70	0.13	13.49	85.33	66.02	0.00	10.94	83.32	56.59	0.00	13.92	79.99	51.64	0.00	13.08
30	80.20	62.06	0.00	20.82	87.98	65.93	0.00	15.56	84.87	60.08	0.00	11.18	81.81	57.36	0.00	9.63
31					90.07	64.94	0.00	13.60					84.97	63.63	0.00	11.80
<u>Avg</u>	89.76	71.69	0.96	15.45	85.35	63.94	0.07	14.93	81.62	63.55	0.12	10.30	75.19	53.41	0.08	10.12
Max	95.61	75.29	17.18	22.53	90.07	71.58	1.32	20.95	91.44	72.00	2.07	15.32	84.97	63.63	1.23	13.89
<u>Min</u>	75.63	62.06	0.00	0.39	66.40	51.84	0.00	5.29	64.60	50.79	0.00	2.63	47.17	31.90	0.00	2.53
<u>Total</u>			28.78	463.62			2.07	462.75			3.58	309.10			2.51	313.87

Rainfall

Daily rainfall equaled or exceeded 1 inch and 2 inches on 20 and 6 separate occasions, respectively, with a daily total rainfall maximum of 17.18 inches on 28 September during hurricane Ian (Table 1). Annual rainfall for 2022 totaled 73.95 inches, which was 20.81 inches higher than the 81-year average of 53.14 inches (Table 2). The lowest annual total on record was observed in 2000 when 32.02 inches were measured, and the greatest annual rainfall total observed was in 1959 when 78.82 inches were recorded. Six months of rainfall was below normal. Monthly rainfall during 2022 is graphically compared to historical mean, median, maximum, and minimum rainfall in Figure 1.

Table 2. Summary of rainfall by months. Range Cattle REC, 2022.

	1942 to	2022		2022	
	Maximum /	Minimum /	81-year		Difference from
Month	month	month	average†	Total	81-year average
			inches*		
January	8.45	0.03	2.11	0.86	- 1.25
February	9.59	0.02	2.43	0.64	- 1.79
March	12.34	0.01	2.88	1.08	- 1.80
April	11.91	0.00	2.50	1.74	- 0.76
May	13.55	0.00	3.77	4.34	0.57
June	18.99	2.79	8.56	8.61	0.05
July	19.74	1.87	8.28	6.89	- 1.39
August	16.10	3.13	8.41	12.85	4.44
September	28.74	0.89	7.45	28.78	21.33
October	11.23	0.00	2.89	2.07	- 0.82
November	11.22	0.07	1.91	3.58	1.67
December	8.61	0.07	1.95	2.51	0.56
Year total			53.14	73.95	20.81

^{*}Inches x 2.54 = cm.

[†] Since rainfall records began in July 1942, means for January to June are 80-year means.




Figure 1. Monthly rainfall at the Range Cattle REC during 2022 relative to historical average, median, minimum, and maximum monthly rainfall. Current rainfall is indicated by the gray bars, historical average and median rainfall are indicated by squares (■) and "X's" (x), respectively. Historical high and low rainfall are indicated by diamonds (♦).

Evapotranspiration

Evapotranspiration is the total amount of water transferred from the earth to the atmosphere. Monthly evaporation in 2022 was 4.44 inches lower than the 17-year average (Table 3). Evapotranspiration exceeded rainfall in January through May, and October 2022 (Figure 2). It is quite normal for evapotranspiration to exceed rainfall in January, February, March, and December.




Figure 2. Comparison of monthly evapotranspiration and rainfall at the Range Cattle REC during 2022. Note that evapotranspiration was estimated in July due to a malfunctioning sensor.

Solar Radiation

Total solar radiation for 2022 was 5878.40 MJ. Daily solar radiation is shown in Table 1, and 2022 total monthly solar radiation can be seen in Table 3. If soil water, temperature, and fertility are not limiting and vegetative cover is complete, 1 MJ results in about 14.3 lb/A of plant dry matter. Theoretically, enough solar radiation was received in April 2022 (582.69 MJ) to produce approximately 8,333 lb/A of plant dry matter.

Table 3. Monthly solar radiation and evapotranspiration at the Range Cattle REC in 2022. Evapotranspiration was estimated in July 2022 due to a malfunctioning sensor.

	2006-2022	2022	2006-2022	2022			
Month	Evapotrar	nspiration	Solar radiation				
	inch	nes	MJ/m ²				
January	1.88	1.77	413.33	358.95			
February	2.52	2.58	457.10	396.94			
March	3.46	3.82	642.08	564.77			
April	4.36	4.33	698.55	582.69			
May	5.23	5.26	766.56	662.67			
June	4.89	4.58	649.21	542.71			
July	4.73	4.75 [*]	650.08	641.04			
August	4.59	5.04	592.38	579.28			
September	3.96	3.71	531.42	463.62			
October	3.20	2.96	499.43	462.75			
November	2.03	2.26	395.15	309.10			
December	1.59	1.73	373.04	313.87			
Total	42.44	38.04	6668.33	5878.40			

Temperature

The highest temperature observed during 2022 was 97.6° F on 18 June (Table 1). Monthly average-high temperatures were at or exceeded the 79-year average in all months except January, (Table 4). Monthly average low temperatures were above the 79-year average in all months except January and October (Table 5). Daily low temperatures fell to less than 32 °F only on 24, 30, and 31 January and 24 December (Table 1). Scattered frost begins to occur when air temperature drops to near 35° F; therefore, scattered frost likely occurred at least 4 times in 2022. Overall, mean low temperature for 2022 was 1.2 degrees greater than the 79-year mean.

Table 4. Summary of average maximum temperature* during 2022 by month, Range Cattle REC.

		Shelte	er†			Groun	d level‡	
	1944-2022	2022	1944-	2022	2022	2022		
	Avg.	Avg.	Extreme		Extreme	Avg.	Extreme	
Month	high	high	high	Year	high	high	high	
			°F			0	'F	
January	73.2	72.6	90.0	1982	84.1	66.8	72.2	
February	75.5	79.9	91.0	1962	88.7	69.3	75.1	
March	79.3	84.7	94.0	1946	90.9	75.9	79.3	
April	83.7	86.4	97.0	1945	92.3	79.9	84.1	
May	88.1	90.6	103.0	1945	95.0	84.4	87.1	
June	90.2	91.9	103.0	1945	97.6	86.4	90.6	
July	90.9	93.7	101.0	1972	96.6	87.3	89.6	
August	91.2	93.2	98.0	several	96.6	86.5	88.8	
September	89.6	89.8	96.2	several	95.6	83.6	87.7	
October	85.2	85.3	96.5	2015	90.1	77.1	79.7	
November	79.3	81.6	94.0	1990	91.4	75.1	79.7	
December	74.7	75.2	89.0	1945	85.0	69.2	73.1	
Average	83.4	85.4				78.5		

 $^{^{*}}$ °C = (°F – 32) x 0.555

[†] Prior to 2006, air temperature is measured using a thermometer in an instrument shelter designed to protect meteorological equipment from exposure to direct sunlight, precipitation, and condensation, while allowing for adequate ventilation so that the instruments measure environmental parameters accurately.

[‡] Ground level temperature is measured with a soil probe, which measures the temperature 4 inches below the soil surface.

Table 5. Summary of minimum temperature* for 2022 by month, Range Cattle REC.

		Shelt	Groun	d level‡			
	1944-2022	944-2022 2022		2022	2022	2022	
	Avg.	Avg.	Extreme		Extreme	Avg.	Extreme
Month	low	low	low	Year	low	low	low
			°F			c	F
January	49.2	47.8	18.0	1981	25.1	61.7	52.3
February	50.9	52.7	23.8	2009	35.7	62.8	54.1
March	54.3	56.4	26.0	1980	37.4	68.1	58.7
April	58.2	59.5	34.0	1971	39.1	71.9	63.2
May	63.4	64.7	43.0	1945	56.2	76.5	72.3
June	69.2	70.0	52.0	1984	64.5	78.5	74.8
July	71.4	72.0	62.0	several	69.1	80.8	78.8
August	72.1	72.3	61.0	1977	68.9	81.0	73.2
September	71.2	71.7	51.0	1962	62.1	80.0	75.3
October	65.0	63.9	37.5	2008	51.8	73.6	68.7
November	57.1	63.6	25.0	1970	50.8	72.0	66.2
December	51.7	53.4	20.0	1962	31.9	65.6	57.0
Average	61.1	62.3				72.7	

 $^{^{*}}$ °C = (°F - 32) x 0.555

Freeze hazard

The fall and spring freeze hazards for the Range Cattle REC are shown in Figure 3. The spring freeze hazard estimates the likelihood of temperatures reaching below the critical temperature after a selected date, while the fall freeze hazard estimates the likelihood of experiencing the first attainment of a critical temperature before a selected date. Based on records from 1964 to 2017, these data will not predict what will occur in a given year, but what can be expected over a period of years. In an example using the spring freeze hazard, one should expect approximately a 30% chance of a frost (assuming 35 °F) occurring before the 1st of March (Figure 4C). A grower has a significant likelihood of experiencing three frosts over ten years after the 1st of March; however, the likelihood drops to approximately 10% by March 20th.

[†] Prior to 2006, air temperature is measured using a thermometer in an instrument shelter designed to protect meteorological equipment from exposure to direct sunlight, precipitation, and condensations, while allowing for adequate ventilation so that the instruments measure environmental parameters accurately.

[‡] Ground level temperature is measured with a soil probe, which measures the temperature 4 inches below the soil surface.




Figure 3. Spring and fall freeze hazard showing temperature probabilities after a given spring date and before a given fall date. Trend lines for temperature probabilities <28 °F (A), <32 °F (B), <35 °F (C), and <45 °F (D). Graphs were constructed using minimum temperature data from 1960 – 2010 using FRISKNH as developed by R. Snyder and J. Paulo de Melo-Abreu.